



IPD-62M2812P0A

SKU: 213021



1/2.8" Network Dome, Fixed, 1920x1080, Day&Night, D-WDR, 2.8-12mm, Infrared, Indoor

Main Features

1/2,8" Sony STARVIS CMOS

Resolution max. 1920x1080

3 MP varifocal lens, motorized, 2.8~12 mm

Push Focus for easy lens adjustment

Cross Web Browsing (IE, Safari, Firefox, Chrome)

Responsive Web Design, Zero configuration

VerticalView 90°/270° mode only H.264, HTML5 Playback

Digital Wide Dynamic Range (D-WDR)

LDC (Lens Distortion Correction), Defog function

3-Axis Gimbal

Wedge adapter included (10° Improvement)

Double Side Hard Coated Bubble, scratch resistant

Specifications

Manufacturer order number	213021
---------------------------	--------

Optional Accessory

SKU	Name	Description
218218	eneo Site Manager	Management Software for eneo IP products
216472	IAD-5SG1008MUA	Gigabit Switch, Unmanaged, 120W, 8x PoE, 1xSFP, 1x RJ45, 10/100/1000 Mbps, Desktop

Optional Services

IPD-62M2812P0A

SKU	Name	Description
-----	------	-------------

IPD-62M2812P0A

Continuation of services

211125	LACKIERUNG Fix-Dome-Kamera	Extra charge for special paint fixed dome in RAL color
214441	LACKIERUNG Grundkosten	Painting basic costs once per RAL color and delivery lot
229234	Vorkonfiguration IP-Kamera	Preconfiguration 1x IP camera Function test, FW update

Your contact person

VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Germany

