VM-SD7M

SKU: 229214



7" (17,7cm) LCD Monitor 800x480, LED, HDMI, VGA, Composite

Different video inputs HDMI, VGA, Composite

Supply voltage: 12VDC

VESA Standard 75x75mm

Metal cabinet including stand

Abb. ähnlich

Main Features

Professional 7" (17,7 cm) LCD monitor

Industrial design built to run 24x7x365 continuously

Maximum resolution 800x480 pixels

LED Back Light

Fast response time 5ms

Metallgehäuse inklusive Standfuß

Perfect presentation through digital 3D filtering and noise reduction

Specifications

Refresh rate	60 Hz
Dimensions (HxWxD)	132x192x40mm
Series	eneo Monitor
Applications	24/7, Industrie
Resolution Pixels	800x480
Resolution Pixels	800x480
Housing color	black
Hosuing material	Metal
Backlighting	LED
Screen size (inch)	7"

VM-SD7M

Continuation of the specifications

Screen size (cm)	17.7 cm
Aspect ratio	16:9
Viewing angle vertical	178°
Viewing angle horzontal	178°
Brightness typical	250 cd/m ²
Contrast ratio typical	500:1
Reponse time typical	5 ms
Video inputs (type)	2x composite (CVBS), HDMI, VGA
Loudspeaker	2
Video outputs	Composite (CVBS)
Audio inputs	1
Serial interfaces	no
Supply voltage	12VDC
Power consumption	7.5W
Operating temperature	-30°C ~ +85°C, @ Humidity 10%-90% (non- condensing)
Weight	2.0kg
Audio output	1x 3,5mm jack
Manufacturer order number	229214

Optional Accessory

SKU	Name	Description
224229	VM-LCDWMB2	Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg
241896	VM-UMA10 Monitor Wandhalterung	Aluminium gas spring monitor arm for wall mount, LCD Monitors, max. 27" support up to 7 kg max.
241897	VM-UTM10 Monitor Tischhalterung	Universal Table Mount for LCD Monitors, up to 45", VESA support up to 13Kg max.
241894	VM-UWM10 Monitor Wandhalterung	Universal Wall Mount for LCD Monitors, up to max. 27", VESA support up to 15 kg max.
241898	VM-UWM30 Monitor Wandhalterung	Universal Wall Mount for LCD Monitors, up to 43", VESA support up to 20Kg max.

VM-SD7M

Your contact person

VIDEOR E. Hartig GmbH Carl-Zeiss-Straße 8 63322 Rödermark Germany

