



IAM-5SE1016IMA

SKU: 230036



Gigabit Switch, Managed, 360W Layer 3, 16xPoE, 4x SFP 10G, Industrial Design

Main Features

16-Port Gigabit Switch Managed L3, Fanless

4x SFP 10 Gigabit Uplink Ports

PoE Standard IEEE 802.3af/at

Up to 30W per port, total $\leq 360W$

Power supply not included

Fast Ring-Redundant, Reconfiguration <20ms

ESD protection IEC61000-4-5 standard

Web configuration, Web management

VLAN, PoE management, MAC address table

Port mirroring, password protection

Relay Alarm for power, cable link and PoE link down

Temperature range -40° C ~ +75° C

Specifications

Dimensions (HxWxD)	95,6x163x110mm
Type	Layer3 Switch
Series	eneo Switch
Mounting	DIN rail, wall mount
Blower	no
Ethernet interface	1000Base-T, 100Base-TX, 10Base-T
VLAN	yes
Ports	16x 10/100/1000Base-T, 4x 10Gbit SFP, Console RJ45-RS232, OOB 10/100Base-TX
PoE ports (number)	16
Management	yes

IAM-5SE1016IMA

Continuation of the specifications

Model	DIN rail module
Supply voltage	48~57 VDC
Power consumption	380W max.
Power over Ethernet	IEEE 802.3af, IEEE 802.3at
PoE budget	360 W
Operating temperature	-40°C ~ +75°C
Weight	1.7kg
Manufacturer order number	230036

Optional Accessory

SKU	Name	Description
218218	eneo Site Manager	Management Software for eneo IP products
216479	SFP-0850M10	SFP Modul, 1.25Gbps, 550m, Multimode, 850nm, Duplex LC Connector, 0°~+70°C
218759	SFP-0850M10-10G	SFP Modul, 10Gbps, 300m, Multimode, 850nm, Duplex LC Connector, -5°~+70°C
218758	SFP-0850M40	SFP Modul, 1,25Gbps, 550m, Multimode, 850nm, Duplex LC Connector, -40° ~ +70°C
216478	SFP-1310M40	SFP Modul, 1.25Gbps, 550m, Multimode, 1310nm, Duplex LC Connector, -40°~+75°C
216566	SFP-1310S10	SFP Modul, 1.25Gbps, 20km, Singlemode, 1310nm, Duplex LC Connector, 0°~+70°C
218760	SFP-1310S10-10G	SFP Modul, 10Gbps, 10km, Singlemode, 1310nm, Duplex LC Connector, -5°~+70°C
216477	SFP-1310S40	SFP Modul, 1.25Gbps, 20km, Singlemode, 1310nm, Duplex LC Connector -40°~+75°C

Your contact person

VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Germany

