VM-FHD24PF

SKU: 232726





24" (61cm) LCD Monitor, FHD, 1920x1080, LED, HDMI, VGA, Frameless, Plastic Hous.

Main Features

Professional 23.8" (60.4cm) LCD monitor	Audio output
Maximum resolution Full HD 1920x1080 pixels	Integrated speakers
LED backlight	Multilingual menu navigation (OSD)
Designed for continuous operation 24x7x365	Frameless plastic housing
Versatile inputs HDMI,VGA	Metal stand included

Specifications

Refresh rate	60 Hz
Dimensions (HxWxD)	317,06x541,35x41,50mm
Series	eneo Monitor
Applications	24/7
Resolution Pixels	1920x1080
Resolution Pixels	1920x1080
Housing color	black
Hosuing material	Plastic
Backlighting	LED
Screen size (inch)	23.8
Screen size (cm)	60,5 cm
Aspect ratio	16:9

VM-FHD24PF

Continuation of the specifications

Viewing angle vertical	178°
Viewing angle horzontal	178°
Brightness typical	250 cd/m²
Contrast ratio typical	1000:1
Reponse time typical	5 ms
Video inputs (type)	HDMI, VGA
Loudspeaker	2
Video outputs	no
Audio inputs	1
Serial interfaces	no
Power consumption	30W
Operating temperature	0°C ~ +40°C, @ Humidity 10%-85% (non- condensing)
Weight	4.0kg
Manufacturer order number	232726

Optional Accessory

SKU	Name	Description
224229	VM-LCDWMB2	Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg
239769	VM-PFF24	Privacy filter foils for 24" LCD-Monitors
241900	VM-UCWM20 Monitor Wandhalterung	Compact slim tilt wall mount LCD Monitors, 23" to 42", VESA support up to 25Kg max.
241896	VM-UMA10 Monitor Wandhalterung	Aluminium gas spring monitor arm for wall mount, LCD Monitors, max. 27" support up to 7 kg max.
241897	VM-UTM10 Monitor Tischhalterung	Universal Table Mount for LCD Monitors, up to 45", VESA support up to 13Kg max.
241894	VM-UWM10 Monitor Wandhalterung	Universal Wall Mount for LCD Monitors, up to max. 27", VESA support up to 15 kg max.
241898	VM-UWM30 Monitor Wandhalterung	Universal Wall Mount for LCD Monitors, up to 43", VESA support up to 20Kg max.

VM-FHD24PF

Your contact person

VIDEOR E. Hartig GmbH Carl-Zeiss-Straße 8 63322 Rödermark Germany

