SKU: 233903

EAN: 4260229840252





Hybrid HD Video Recorder 4-channel analogue, 2-ch. IP, HDMI, 1xSATA, w/o HDD

### **Main Features**

4-channel pentaplex multisignal recorder	PTZ control via coaxial (UTC)
Supports IP, HD-TVI, AHD, CVBS signals	Audio/alarm inputs and outputs
Max. 6 channels (4x analog + 2x IP)	USB 2.0 and RS-485 interface
Recording speed 28fps@8MP,48fps@5MP,120fps@2MP	Compression methods: H.264, H.265
Monitor outputs HDMI (4K),VGA and spot monitor CVBS	Remote access via app, browser and CMS
Maximum 1 internal hard disk possible	USB mouse included

### **Specifications**

EAN/GTIN	4260229840252
Dimensions (HxWxD)	300X227X53mm
Serial interfaces protocols	Pelco D Pelco P coax1 coax2
Series	eneo IN-Series
Housing	Metal/Plastic
Color	black
Blower	no
Video inputs (amount)	4
Channels total	6
IP channels	2 (6 IP only)

### Continuation of the specifications

Max. recording resolution	3840x2160
Recording rate max.	@1920x1080
Compression	H.264, H.265
Main video outputs	HDMI (4K), VGA
Spot monitor	composite (CVBS)
Network	10/100 Base-Tx, RJ45
Alarm inputs	4
Alarm outputs	1
Audio inputs	4
Serial interfaces	Coaxitron (HD Protocol), RS-485
Max. internal HDD capacity	10 TB
Internal HDD capacity	0 TB
Integrated writer	no
Interfaces external storage	USB
HDD slots	1x SATA
HDD hotswap	no
RAID	n/a
Data tranfer rate max.	48 Mbps
Analysis functions	Additional functions depending on connected IP camera, Human&Vehicle Detection (PD&VD), Line Crossing Detection (LCD), Perimeter Intrusion Detection (PID), The recorder hardware (on board) provides the following analysis functions for analog cameras
Remote access	Microsoft Internet Explorer, remote software
19" rack mount	no
Supply voltage	12VDC
Power consumption	4.7W, without HDD
Operating temperature	0°C ~ +40°C
ONVIF	ONVIF Profile S, yes
Data transfer rate outgoing	36 Mbps
Operation mode	Pentaplex
Signal format	AHD @ 8MP, Composite (FBAS), HD-TVI @ 8MP, IP @ 8MP
Weight	1,03kg
Playback	4 channel split, full screen
Data transfer rate incoming	12 Mbps
Audio output	RCA
Operating system	Linux
Manufacturer order number	233903

### **Optional Accessory**

CKII	Mama	Deceription
anu	Iname	Describiion
0.10		2000

### Continuation of accessory

234989	eneo lNsight	Control software for recorder IN- and MN-series
236197	eneo INsight Evidence Locker	For the research of HDD's for recorders of IN-series
236196	eneo INsight Evidence Player	For replay of exported data for recorder IN-series IN- Serie
234990	eneo INsight mobile	Mobile App for recorder IN- and MN-series
217658	HDD-2000SATA Purple	Hard Disk Drive 2TB, SATA, for eneo Video Recorders, expansion
217657	HDD-3000SATA Purple	Hard Disk Drive 3TB, SATA, for eneo Video Recorders, expansion
217659	HDD-4000SATA Purple	Hard Disk Drive 4TB, SATA, for eneo Video Recorders, expansion
217660	HDD-6000SATA Purple	Hard Disk Drive 6TB, SATA, for eneo Video Recorders, expansion

### **Optional Services**

SKU	Name	Description
229227	CON-eneo-KON-04	Preconfiguration 1x eneo recorder with up to 4 eneo IP cameras
229224	CON-HDD-eneo	Hard disk installation service for eneo
229235	CON-KOMP	Compatibility check for cameras, NVR, VMS systems (one pair of devices)

#### Your contact person

VIDEOR E. Hartig GmbH Carl-Zeiss-Straße 8 63322 Rödermark Germany

