



# ISM-72M2713W0A

SKU: 234669



1/2.8" Network Module Camera, 1920x1080, Day&Night, WDR, 2.7-13.5mm, H.265, PoE, 12VDC

## Main Features

- .....
- 1/2.8" Sony STARVIS CMOS Sensor
- .....
- Excellent light sensitivity
- .....
- Resolution max. 1920x1080 (Full HD)
- .....
- Motorised varifocal lens 2.7~13.5mm
- .....
- DOL-WDR (120dB) by triple scan images at 30/25fps
- .....
- Motion Detection, Privacy Zones, Slow Shutter
- .....

- .....
- Browser independent (IE, Edge, Safari, Firefox, Chrome)
- .....
- Smart Codec H.265 ROI (Region of Interest)
- .....
- Supports ONVIF Profile S and Profile T
- .....
- Operating temperature -20°C ~ +50°C
- .....
- Dimensions 50x50x93mm
- .....
- Power supply PoE or 12VDC
- .....

## Specifications

Dimensions (HxWxD)	93x50x50mm
Series	eneo AN-Series
Camera Type	Board Camera
Resolution Standard	HD 1080p
System	True Day&Night
Sensor size	1/2.8"
Imager	CMOS
Video compression	H.264, H.264+ (Smart Stream), H.265, H.265+ (Smart Stream), M-JPEG
Image resolution max.	1920x1080
Image Transmission Rate	30 fps

# ISM-72M2713W0A

Continuation of the specifications

Day&Night switch	ICR
Sensitivity	0,0008 Lux at F1,6, 40 IRE
Digital Noise Reduction	yes
Lens Type	Varifocal (motorized)
Focal Length	2,7 - 13,5 mm
Iris Control	DC
Zoom Factor	4x
Digital Zoom	yes
Observe (62 px/m)	16,6 - 80,5 m
Recognize (125 px/m)	8,2 - 40,1 m
Identify (250 px/m)	3,9 - 20,1 m
Detect (25px/m)	44 - 198 m
Horizontal Angle of View	108 - 32°
Vertical Angle of View	56 - 18°
MOD (Minimum Object Distance)	0,5 m
Housing	without housing
Blower	yes
Alarm inputs	nein
Alarm outputs	no
Audio support	no
Ethernet interface	100Base-TX, 10Base-T
Serial interfaces	Ethernet
Internal storage	no
Analysis functions	Motion detection, Tampering Detection (TD)
Mounting	Flush mount
Supply voltage	12VDC, PoE
Power consumption	4.4W
Power over Ethernet	IEEE 802.3af
Operating temperature	-20°C ~ +50°C
ONVIF	ONVIF Profile S, ONVIF Profile T
Low Speed Shutter	yes
Backlight Compensation	BLC, HLC
Wide Dynamic Range (WDR)	D-WDR
Motion Detector	yes
Camera type	Platine
Remote configuration	Browser
Weight	160g
Manufacturer order number	234669

## Optional Accessory

SKU	Name	Description
-----	------	-------------

# ISM-72M2713W0A

Continuation of accessory

218218	eneo Site Manager	Management Software for eneo IP products
--------	-------------------	--

## Optional Services

SKU	Name	Description
229234	Vorkonfiguration IP-Kamera	Preconfiguration 1x IP camera Function test, FW update

## Your contact person

VIDEOR E. Hartig GmbH  
Carl-Zeiss-Straße 8  
63322 Rödermark  
Germany

