



# ISM-52F0021WMA

SKU: 235524



1/2,8" Network Module Camera, 1920x1080, Day&Night,, WDR, 2,1mm, H.265, PoE, 12VDC

## Main Features

1/2,8" 2.0 MP CMOS-Sensor	WDR 120dB, Smart BLC
Resolution max. 1920x1080 (Full HD)	Slot for Micro SD memory card
Board Camera 50x50x50mm	ONVIF conformance, PoE IEEE802.af, Cross Web-Browsing
Quad Streaming (H.265, H.264, MJPEG)	Audio-, Alarm- In- and Outputs
True Day & Night (TDN)	Privacy zones, password protection, Cross Web-Browsing
Noise Reduction (2D-/3D-DNR)	NDA compliant

## Specifications

Dimensions (HxWxD)	50x50x50mm
Camera Type	Board Camera
Resolution Standard	HD 1080p
System	True Day&Night
Sensor size	1/2.8"
Imager	CMOS
Video compression	H.264, H.265, MJPEG
Image resolution max.	1920x1080
Image Transmission Rate	30 fps
Day&Night switch	ICR

# ISM-52F0021WMA

Continuation of the specifications

Digital Noise Reduction	yes
Lens Type	fixed focal length
Focal Length	2,1 mm
Iris Control	no
Digital Zoom	yes
Horizontal Angle of View	140°
Vertical Angle of View	78°
MOD (Minimum Object Distance)	0,3 m
Illumination	no
Housing	without housing
Blower	no
Video outputs	no
Alarm inputs	1
Alarm outputs	1
Audio support	yes
Ethernet interface	100Base-TX, 10Base-T
Serial interfaces	Ethernet
Internal storage	microSD-Kartenslot
Analysis functions	Motion detection, Perimeter Intrusion Detection (PID), Tampering Detection (TD)
Mounting	Einbaumodul
Supply voltage	12VDC, PoE
Power consumption	4.3W
Power over Ethernet	IEEE 802.3af
Vandal proof	no
Operating temperature	0°C ~ +40°C
ONVIF	ONVIF Profile S, ONVIF Profile T
Low Speed Shutter	yes
Backlight Compensation	BLC
Wide Dynamic Range (WDR)	True WDR
Motion Detector	yes
Camera type	Platine
Audio	2 Way Audio
Remote configuration	Browser
Weight	125g
Manufacturer order number	235524

## Optional Accessory

SKU	Name	Description
218218	eneo Site Manager	Management Software for eneo IP products

# ISM-52F0021WMA

Continuation of accessory

## Optional Services

SKU	Name	Description
229234	Vorkonfiguration IP-Kamera	Preconfiguration 1x IP camera Function test, FW update

## Your contact person

VIDEOR E. Hartig GmbH  
Carl-Zeiss-Straße 8  
63322 Rödermark  
Germany

