VM-FHD24PFA

SKU: 236655



Main Features

Professional 24"(61 cm) LCD monitor

Maximum resolution Full HD 1920x1080 pixels

LED Back Light

Perfect presentation through digital 3D filtering

and noise reduction

Built to run 24x7x365 continuously

Different video inputs DisplayPort,HDMI

Built-in speakers (2x3W Stereo)

Frameless plastic cabinet including stand

Specifications

Refresh rate	60 Hz
Dimensions (HxWxD)	302x530x41,8mm
Series	eneo Monitor
Applications	24/7
Resolution Pixels	1920x1080
Resolution Pixels	1920x1080
Housing color	black
Hosuing material	Plastic
Backlighting	LED
Screen size (inch)	24"
Screen size (cm)	61 cm
Aspect ratio	16:9

VM-FHD24PFA

Continuation of the specifications

$\mathbf{Y}_{\mathbf{r}}^{\mathbf{r}} = \mathbf{r}^{\mathbf{r}} + \mathbf{r}^{\mathbf{r}} + \mathbf{r}^{\mathbf{r}} + \mathbf{r}^{\mathbf{r}} + \mathbf{r}^{\mathbf{r}}$	4700
Viewing angle vertical	170°
Viewing angle horzontal	170°
Brightness typical	250 cd/m ²
Contrast ratio typical	1000:1
Reponse time typical	5 ms
Video inputs (type)	DisplayPort, HDMI
Loudspeaker	2x 3W
Video outputs	no
Audio inputs	1
Serial interfaces	no
Supply voltage	12VDC
Power consumption	25W
Operating temperature	0°C ~ +40°C
Weight	3.5kg
Manufacturer order number	236655

Optional Accessory

SKU	Name	Description
224229	VM-LCDWMB2	Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg
239769	VM-PFF24	Privacy filter foils for 24" LCD-Monitors
241900	VM-UCWM20 Monitor Wandhalterung	Compact slim tilt wall mount LCD Monitors, 23" to 42", VESA support up to 25Kg max.
241896	VM-UMA10 Monitor Wandhalterung	Aluminium gas spring monitor arm for wall mount, LCD Monitors, max. 27" support up to 7 kg max.
241897	VM-UTM10 Monitor Tischhalterung	Universal Table Mount for LCD Monitors, up to 45", VESA support up to 13Kg max.
241894	VM-UWM10 Monitor Wandhalterung	Universal Wall Mount for LCD Monitors, up to max. 27", VESA support up to 15 kg max.
241898	VM-UWM30 Monitor Wandhalterung	Universal Wall Mount for LCD Monitors, up to 43", VESA support up to 20Kg max.

VM-FHD24PFA

Your contact person

VIDEOR E. Hartig GmbH Carl-Zeiss-Straße 8 63322 Rödermark Germany

