VM-FHD22MF

SKU: 239822





22" (56cm) LCD Monitor FHD, 1920x1080, LED, HDMI, DisplayPort

Main Features

Professional 22' (56cm) LCD monitor	and noise suppression
Maximum resolution Full HD 1920x1080 pixels	Designed for continuous operation 24x7x365
LED backlight	Versatile inputs HDMI, DP
Metal housing (thin bezel) including stand	Integrated speakers
Optimum display thanks to digital 3D filtering	

Specifications

Dimensions (HxWxD)	306x498,4x67mm
Series	eneo Monitor
Applications	24/7, Desktop, Industrie
Resolution Pixels	1920x1080
Resolution Pixels	1920x1080
Housing color	black
Hosuing material	Metal
Backlighting	LED
Screen size (inch)	22
Screen size (cm)	55.9 cm
Aspect ratio	16:9
Viewing angle vertical	178°

VM-FHD22MF

Continuation of the specifications

Viewing angle horzontal	178°
Brightness typical	250 cd/m ²
Contrast ratio typical	1000:1
Reponse time typical	5 ms
Video inputs (type)	DisplayPort, HDMI
Loudspeaker	2x 3W
Audio inputs	1
Serial interfaces	no
Supply voltage	100~240VAC
Power consumption	25W
Operating temperature	-30°C ~ +85°C, @ Humidity 10%-90% (non- condensing)
Weight	8.5kg
Manufacturer order number	239822

Optional Accessory

SKU	Name	Description
224229	VM-LCDWMB2	Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg
228560	VM-TSHA	Monitor stand high adjustable up to 130mm, for LCD-Monitors, 15-27 Inch, maximum 10Kg
241900	VM-UCWM20 Monitor Wandhalterung	Compact slim tilt wall mount LCD Monitors, 23" to 42", VESA support up to 25Kg max.
241896	VM-UMA10 Monitor Wandhalterung	Aluminium gas spring monitor arm for wall mount, LCD Monitors, max. 27" support up to 7 kg max.
241897	VM-UTM10 Monitor Tischhalterung	Universal Table Mount for LCD Monitors, up to 45", VESA support up to 13Kg max.
241894	VM-UWM10 Monitor Wandhalterung	Universal Wall Mount for LCD Monitors, up to max. 27", VESA support up to 15 kg max.
241898	VM-UWM30 Monitor Wandhalterung	Universal Wall Mount for LCD Monitors, up to 43", VESA support up to 20Kg max.

VM-FHD22MF

Your contact person

VIDEOR E. Hartig GmbH Carl-Zeiss-Straße 8 63322 Rödermark Germany

